

## PRODUCT DATA SHEET

### VS 8 B

Varioshake shakers are equipped with a large number of possible shaking movements for a wide variety of applications. Reciprocating shakers are used in laboratories and incubation and temperature control rooms at ambient temperatures between 10 and 60 °C for shaking bottles, test tubes or separating funnels.



Technical Attributes	VS 8 B
Ambient temperature min.	10 °C
Ambient temperature max.	50 °C
Shaking platform width	330 mm
Shaking platform depth	330 mm
Load capacity max.	8 kg
Shaking amplitude	20 mm
Shaking frequency min.	20 min <sup>-1</sup>
Shaking frequency max.	300 min <sup>-1</sup>
Shaking motion	reciprocating
Timer	1 minute - 99:59 hours or continuous operation
Dimensions (WxDxH) in mm	350x355x160
Weight	11.0 kg

LAUDA DR. R. WOBSEY GMBH & CO. KG  
Pfarrstraße 41/43 · 97922 Lauda-Königshofen  
Postfach 1251 · 97912 Lauda-Königshofen · DE

T +49 (0) 9343 503-0 · F +49 (0) 9343 503-222  
info@lauda.de · www.lauda.de  
WEEE-Reg.-Nr.: DE 66 42 40 57

Kommanditgesellschaft: Sitz Lauda-Königshofen  
Registergericht Mannheim · HRA 560069

Persönlich haftende Gesellschafterin:  
LAUDA DR. R. WOBSEY Verwaltungs-GmbH  
Sitz Lauda-Königshofen  
Registergericht Mannheim · HRB 560226

Geschäftsführer:  
Dr. Gunther Wobser (Vors.), Dr. Mario Englert  
Dr. Marc Stricker  
Beirat: Dr. Gerhard Wobser